



Available online at www.sciencedirect.com





Procedia Chemistry 15 (2015) 277 - 281

16th International Scientific Conference "Chemistry and Chemical Engineering in XXI century" dedicated to Professor L.P. Kulyov, CCE 2015

Simple synthesis of pyrazole-derived dithioethers

Nina P. Chernova^a, Nurgul A. Pirmanova^b, Tolebi Dzhienalyev^b, Andrei S. Potapov^{a,b}*

^aAltai State Technical University, 46 Lenin Ave., Barnaul 656038, Russia ^bNational Research Tomsk Polytechnic University, 30 Lenin Ave., Tomsk, 634050, Russia

Abstract

A number of pyrazole-derived dithioethers were prepared by the reaction of diisothiuronium salts and 2-(3,5-dimethylpyrazol-1-yl)ethanol tosylate in a basic aqueous solution. Diisothiuronium salts were prepared by the reaction of thiourea with alpha,omega-dibromoalkanes containing from two to nine methylene groups. The use of these salts allowed *in situ* generation ions dithiolate, thus eliminating the need to use hazardous dimercaptans.

© 2015 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of Tomsk Polytechnic University

Keywords:pyrazole; thioether ligands; thiourea; thiuronium salts; hybrid ligands

1. Introduction

Compounds with two pyrazole rings linked by an aliphatic spacer act as bidentate chelating ligands forming complexes with most elements of the periodic table¹. Coordinating ability of these ligands can be diversified by introducing additional donor atoms into the spacer between the heterocycles. Ligands with spacers bearing nitrogen, oxygen, and sulfur atoms have been reported, some of them were found to be effective steel corrosion inhibitors², while their chromium(III) and palladium(II) complexes demonstrated catalytic activity in ethylene oligomerization³ and Heck cross-coupling reactions⁴. Recently we and others have reported high superoxide dismutase-like activity of copper(II) complexes with bis(pyrazole) ligands^{5,6}. Copper(II) complexes with azole-derived thioether ligands were

^{*} Corresponding author. Tel.: +7-923-403-41-03; fax: +7-3822-56-38-65. *E-mail address:*potapov@tpu.ru

proposed as models for type I copper proteins⁷. Metal complexes with azole ligands modified by chalcogenide atoms are especially active cross-coupling catalysts⁸⁻¹⁰.

One of the ligands with a well-explored coordination chemistry is 1,5-bis(3,5-dimethylpyrazol-1-yl)-3-thiapentane (L_s , Fig.1)^{11,12}. Some of the complexes of dithioethers **1** and **2** with short di- and trimethylene linkers (Fig. 1) were also reported^{11,13-16}.



Fig. 1.Structures of previously reported pyrazole-thioether complexes.

Elongation of the spacer between sulfur atoms in dithioether ligands could lead to complexes of new structures and types of activities. Here we present a facile method for the preparation of pyrazole-derived dithioethers with long aliphatic spacers by the reaction of diisothiuronium salts with 1-(2-tosyloxyethyl)-3,5-dimethylpyrazole.

2. Results and discussion

Diisothiuronium salts were prepared by the reaction of α,ω -dibromoalkanes with two equivalents of thiourea in ethanol solution following a literature procedure¹⁷ (Fig. 2).



Fig. 2. Synthesis of diisothiuronium salts.

Alkaline hydrolysis of thiuronium salts is known to lead to thiolate ions¹⁸, which in our syntheses then acted as nucleophiles in the reaction with the tosylate (Fig. 3). The proposed method allows to generate dithiolate-ions *in situ* and avoid the use of toxic and malodorous dithiols, which gives it an advantage to the known methods for preparation of similar products¹⁹.



Fig. 3.Synthesis of dithioethers.

The structures of dithioethers were confirmed by IR and NMR spectra, as well as elemental analysis data.

Using the proposed method we have prepared dithioethers with polymethylene linkers between sulfur atoms (compounds 1-7) and hybrid ligand 8 with hard oxygen and soft sulfur donor atoms in the linker between pyrazole rings (Fig. 4).



Fig. 4. Synthesis of hybrid diether-dithioether ligand

NMR ¹H spectrum or compound **8** shows three triplets (CH₂ groups 1, 2 and 3) at 4.09 2.89 and 2.59 ppm correspondingly and a triplet overlapping with a singlet (CH₂ groups 4 and 5) at 3.55 ppm.

In summary, we have developed a facile synthetic protocol for the synthesis of functionalized dithioethers, which does not require the use of free dithiols. Six new pyrazole-derived dithioethers were prepared, which are interesting flexible ligands for coordination chemistry.

3. Experimental part

NMR spectra were recorded on Bruker AV300 instrument operating at 300 MHz for ¹H and 75 MHz for ¹³C. Elemental analyses were carried out on a Carlo Erba CHNS analyzer. Infrared (IR) spectra of solid samples as KBr disks were recorded on a Nicolet 5700 (4000-400 cm⁻¹) spectrophotometer.

Commercially available α,ω -dibromoalkanes and thiourea were used as received. 1-(2-Tosyloxyethyl)-3,5dimethylpyrazole was prepared using a reported procedure²⁰. 1,2-Bis(2-bromoethoxy)ethane was prepared by the reaction of triethylene glycol with phosphorus tribromide²¹.

1,8-Bis(3,5-dimethylpyrazol-1-yl)-3,6-dithiaoctane (**1**). A solution of 1,2-dibromoethane diisothiuronium salt (3.46 g, 10 mmol), KOH (5.6 g, 100 mmol) in water (15 ml) were refluxed for 5 hours. Then, 1-(2-Tosyloxyethyl)-3,5-dimethylpyrazole (5.88 g, 20 mmol) was added, refluxing and vigorous stirring continued for 8 hours. After cooling to a room temperature, the precipitate formed, which was filtered and washed with water. Yield 73 %, colorless crystals, m.p. 85-87 °C (*i*-PrOH), lit. m.p. 78 °C¹⁹. IR bands, cm⁻¹: 1549; 1461; 1315 (Pz), 787 (C–S). NMR ¹H (CDCl₃), δ , ppm: 2.18, 2.24 (s, 12H, CH₃), 2.52 (s, 4H, SCH₂CH₂S), 2.91 (t, 4H, PzCH₂CH₂S, *J* 6.6 Hz), 4.10 (t, 4H, PzCH₂CH₂S, *J* 6.6 Hz), 5.76 (s, 2H, H⁴ (Pz)).NMR ¹³C (CDCl₃), δ , ppm: 11.0 (5-CH₃), 13.3 (3-CH₃), 32.0 (SCH₂CH₂S and PzCH₂CH₂S), 48.5 (PzCH₂CH₂S), 104.9 (C⁴ (Pz)), 139.1 (C⁵ (Pz)), 147.7 (C³ (Pz)). Found, %: C 56.31; H 7.65; N 16.56; S 18.48. Calculated for C₁₆H₂₆N₄S₂, %: C 56.77; H 7.74; N 16.55; S 18.94.

1,9-Bis(3,5-dimethylpyrazol-1-yl)-3,7-dithianonane (2) was prepared similarly to compound **1**. Yield 80 %, m.p. 36-37 °C (i-PrOH). NMR ¹H (CDCl₃), δ , ppm: 1.73 q (2H, CH₂CH₂, *J*7 Hz), 2.16 s (6H, 3-CH₃-Pz), 2.22 s

(6H, 5-CH₃-Pz), 2.41 t (4H, C<u>H</u>₂SCH₂CH₂Pz, *J* 7 Hz), 4.08 t (4H, PzC<u>H</u>₂CH₂S, *J* 7 Hz), 5.76 s (2H, H⁴-Pz). NMR ¹³C (CDCl₃), δ, ppm: 11.1 (5-CH₃), 13.4 (3-CH₃), 29.2 (CH₂C<u>H</u>₂CH₂), 30.7, 31.9 (SCH₂CH₂S, PzCH₂<u>C</u>H₂S), 48.7 (Pz<u>C</u>H₂CH₂S), 104.9 (C⁴ (Pz)), 139.0 (C⁵ (Pz)), 147.6 (C³ (Pz)). Found, %: C 57.56; H 7.68; N 15.43; S 17.75. Calculated for C₁₇H₂₆N₄S₂, %: C 57.92; H 8.01; N 15.89; S 18.19.

1,10-Bis(3,5-dimethylpyrazol-1-yl)-3,8-dithiadecane (**3**) was prepared similarly to compound **1**. Yield 68 %, m.p. 50-52 °C (EtOH). IR bands, cm⁻¹: 1661; 1461; 1441 (Pz), 772 (C–S). NMR ¹H (DMSO-*d*₆), δ, ppm: 1.52 q (4H, PzCH₂CH₂SCH₂C<u>H</u>₂, *J* 6 Hz), 2.06 s (6H, 3-CH₃-Pz), 2.20 s (6H, 5-CH₃-Pz), 2.40 t (4H, PzCH₂CH₂SC<u>H</u>₂CH₂, *J* 6 Hz), 2.80 t (4H, PzCH₂C<u>H</u>₂S, *J* 7 Hz), 4.05 t (4H, PzC<u>H</u>₂CH₂S, *J* 7 Hz), 5.76 s (2H, H⁴-Pz). NMR ¹³C (DMSO-*d*₆), δ, ppm: 10.4 (5-CH₃), 13.5 (3-CH₃), 38.7 (SCH₂CH₂CH₂CH₂S, PzCH₂<u>C</u>H₂S), 40.3 (Pz<u>C</u>H₂CH₂S), 104.9 (C⁴ (Pz)), 139.1 (C⁵ (Pz)), 146.0 (C³ (Pz)).

1,11-Bis(3,5-dimethylpyrazol-1-yl)-3,9-dithiaundecane (**4**) was prepared similarly to compound **1**. Yield 85 %, m.p. 32-33 °C (EtOH). IR bands, cm⁻¹: 1661; 1461; 1441 (Pz), 773 (C–S). NMR ¹H (DMSO-*d*₆), δ, ppm: 1.35 q (4H, SCH₂CH₂CH₂CH₂CH₂CH₂S, *J* 7 Hz), 1.43 q (4H, PzCH₂CH₂SCH₂CH₂CH₂, *J* 7 Hz), 2.06 s (6H, 3-CH₃-Pz), 2.21 s (6H, 5-CH₃-Pz), 2.38 t (4H, PzCH₂CH₂CH₂CH₂CH₂, *J* 7 Hz), 2.81 t (4H, PzCH₂CH₂S *J* 7 Hz), 4.05 t (4H, PzCH₂CH₂S, *J* 7 Hz), 5.76 s (2H, H⁴-Pz). NMR ¹³C (DMSO-*d*₆), δ, ppm: 10.6 (5-CH₃), 13.5 (3-CH₃), 38.7 (SCH₂CH₂CH₂CH₂CH₂CH₂S), 40.3 (PzCH₂CH₂CH₂S), 104.4 (C⁴ (Pz)), 138.8 (C⁵ (Pz)), 145.9 (C³ (Pz)).

1,15-Bis(3,5-dimethylpyrazol-1-yl)-3,13-dithiapentadecane (7) was prepared similarly to compound **1**. Yield 70 %, oil. IR bands, cm⁻¹: 1553; 1461; 1443 (Pz), 775 (C–S). NMR ¹H (DMSO-*d*₆), δ , ppm: (1.2-1.4) m (6H, S(CH₂)₂C<u>H</u>₂C<u>H</u>₂C<u>H</u>₂C(CH₂)₂), 1.46 q (4H, SCH₂C<u>H</u>₂(CH₂)₅CH₂CH₂S, *J* 7 Γ_{II}), 2.06 s (6H, 3-CH₃-Pz), 2.21 s (6H, 5-CH₃-Pz), 2.38 t (4H, SC<u>H</u>₂(CH₂)₇CH₂S, *J* 7 Hz), 2.80 t (4H, PzCH₂C<u>H</u>₂S *J* 7 Hz), 4.05 t (4H, PzC<u>H</u>₂CH₂S, *J* 7 Hz), 5.76 c (2H, H⁴ -Pz). NMR ¹³C (DMSO-*d*₆), δ , ppm: 10.6 (5-CH₃), 13.2 (3-CH₃), 38.6 (PzCH₂C<u>H</u>₂S<u>C</u>H₂), 40.3 (PzCH₂CH₂S), 104.9 (C⁴ (Pz)), 139.0 (C⁵ (Pz)), 146.0 (C³ (Pz)).

1,14-Bis(3,5-dimethylpyrazol-1-yl)-6,9-dioxa-3,12-dithiotetradecane (8) was prepared similarly to compound **1**. NMR ¹H (CDCl₃), δ , ppm: 2.06 s (6H, 3-CH₃-Pz), 2.21 s (6H, 5-CH₃-Pz), 2.59 t (4H, 3-CH₂), 2.89 t (4H, 2-CH₂), 4.09 t (4H, 1-CH₂), 3.55 m (8H, 4-CH₂, 5-CH₂). Found, %: C 56.85; H 7.94; N 13.18; S 14.21. Calculated for C₂₀H₃₄N₄O₂S₂, %: C 56.31; H 8.03; N 13.13; S 15.03.

Acknowledgements

The reported study was partially supported by the Ministry of Education and Science of the Russian Federation, project No. 4.774.2014/K. Synthesis of long-chain ligands **5**-**8** were carried out in the framework of the project supported by the Russian Scientific Fund grant No. 14-13-10023.

References

^{1.}Pettinari C, Pettinari R. Metal derivatives of poly(pyrazolyl)alkanes: II. Bis(pyrazolyl)alkanes and related systems. *Coord Chem Rev* 2005;249:663-91.

- Tebbji K, Bouabdellah I, Aouniti A, Hammouti B, Oudda H, Benkaddour M, RamdaniA. N-benzyl-N, N-bis[(3,5-dimethyl-1H-pyrazol-1yl)methyl]amine as corrosion inhibitor of steel in 1 M HCl. *Materials Letters* 2007;61:799-804.
- Junges F, Kuhn MCA, Santos AHDPd, Rabello CRK, Thomas CM, Carpentier J-F, CasagrandeJOL. Chromium Catalysts Based on Tridentate Pyrazolyl Ligands for Ethylene Oligomerization. Organometallics 2007;26:4010-4.
- 4. Guerrero M, Pons J, Ros J. Effect of N1-substituted pyrazolic hybrid ligands on palladium catalysts for the Heck reaction. *J.Organomet.Chem* 2010;695:1957-60.
- Potapov AS, Nudnova EA, Domina GA, Kirpotina LN, Quinn MT, Khlebnikov AI, SchepetkinIA. Synthesis, characterization and potent superoxide dismutase-like activity of novel bis(pyrazole)–2,2¢-bipyridyl mixed ligand copper(II) complexes. Dalton Trans 2009:4488-98.
- Lupidi G, Marchetti F, Masciocchi N, Reger DL, Tabassum S, Astolfi P,DamianiE, PettinariC. Synthesis, structural and spectroscopic characterization and biomimetic properties of new copper, manganese, zinc complexes: identification of possible superoxide-dismutase mimics bearing hydroxyl radical generating/scavenging abilities. J InorgBiochem 2010;104:820-30.
- Bouwman E, Driessen WL, Reedijk J. Model systems for type I copper proteins: structures of copper coordination compounds with thioether and azole-containing ligands. *CoordChem Rev* 1990;104:143-72.
- Kumar A, Rao GK, Kumar S, Singh AK. Formation and Role of Palladium Chalcogenide and Other Species in Suzuki–Miyaura and Heck C– C Coupling Reactions Catalyzed with Palladium(II) Complexes of Organochalcogen Ligands: Realities and Speculations. *Organometallics* 2014;33:2921-43.
- Kelly ME, Gómez-Ruiz S, Schmidt J, Wagner C, Schmidt H. Platinum(IV) complexes with α,ω-bis(pyrazol-1-yl) alkanediyl and diethyl ether/thioether ligands. Crystal structures of dibromodimethyl[1,2-bis(pyrazol-1-yl)ethane]platinum(IV) and trimethyl-bis[2-(pyrazol-1yl)ethyl]etherplatinum(IV) tetrafluoroborate. *Polyhedron* 2008;27:3091-6.
- Sharma KN, Joshi H, Singh VV, Singh P, Singh AK. Palladium(II) complexes of pyrazolatedthio/selenoethers: syntheses, structures, single source precursors of Pd₄Se and PdSenano-particles and potential for catalyzing Suzuki-Miyaura coupling. *Dalton Trans* 2013;42:3908-18.
- 11. León Ad, Antonio Ayllón J, Pons J. Tuning the hemilabilebehaviour of a thioether-pyrazole ligand on Pd(II) complexes with diphosphines. J OrganometChem 2012;696:4275-80.
- de Leon A, Garcia-Anton J, Ros J, Guirado G, Gallardo I, Pons J. Environmentally benign and selective synthesis of hybrid pyrazole sulfoxide and sulfone ligands. New J Chem 2013;37:1889-94.
- 13. de Leon A, Pons J, García-Antón J, Solans X, Font-Bardia M, Ros J. Synthesis of new platinum(II) complexes containing hybrid thioetherpyrazole ligands: Structural analysis by ¹H and ¹³C{¹H} NMR spectroscopy and X-ray crystal structures. *InorgChimActa* 2007;360:2071-82.
- 14. Haanstra WG, van der Donk WAJW, Driessen WL, Reedijk J, Drew MGB, Wood JS. Coordination behavior of the ligand 1,9-bis(3,5dimethyl-1-pyrazolyl)-3,7-dithianonane (bddn) towards first-row transition metals. X-ray structure of [Cu(bddn)(H₂O)](BF₄)₂. *InorgChimActa* 1990;**176**:299-305.
- 15. Garcia-Anton J, Mathieu R, Lugan N, Pons Picart J, Ros J. Coordination properties of N₂S (1,5-bis(3,5-dimethyl-1-pyrazolyl)-3-thiapentane) or N₂S₂ (1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane or 1,2-bis[3-(3,5-dimethyl-1-pyrazolyl)-2-thiapropyl]benzene) donor ligands toward Rh(I). J OrganometChem 2004;689:1599-608.
- 16. Garcia-Anton J, Pons J, Solans X, Font-Bardia M, Ros J. Synthesis of new PdII complexes containing thioether-pyrazole hemilabile ligands -Structural analysis by ¹H and ¹³C NMR spectroscopy and crystal structures of [PdCl₂(bddo)] and [Pd(bddo)](BF₄)₂ [bddo = 1,8-Bis(3,5dimethyl-1-pyrazolyl)-3,6-dithiaoctane]. *Eur J InorgChem* 2002:3319-27.
- Reger DL, Pascui AE, Smith MD, Jezierska J, Ozarowski A. Halide and Hydroxide Linearly Bridged Bimetallic Copper(II) Complexes: Trends in Strong Antiferromagnetic Superexchange Interactions. *InorgChem* 2012;51:7966-8.
- 18. Grogan CH, Leonard MR, Emmet R. Dithiols and derivatives. J Org Chem 1955;20:50-9.
- Haanstra WG, Driessen WL, Reedijk J, Turpeinen U, Hamalainen R. Unusual Chelating Properties of the Ligand 1,8-Bis(3,5-dimethyl-I pyrazolyl)-3,6-dithiaoctane (bddo). Crystal Structures of Ni(bddo)(NCS)₂, Zn(bddo)(NCS)₂ and Cd₂(bddo)(NCS)₄. J ChemSoc, Dalton Trans 1989:2309-14.
- Potapov AS, Chernova NP, Ogorodnikov VD, Petrenko TV, Khlebnikov AI. Synthesis and oxidation of some azole-containing thioethers. *Beilstein J Org Chem* 2011;7:1526-32.
- De S, Aswal VK, Goyal PS, Bhattacharya S. Novel Gemini Micelles from Dimeric Surfactants with Oxyethylene Spacer Chain. Small Angle Neutron Scattering and Fluorescence Studies. J PhysChem B 1998;102:6152-60.