ПРИМЕНЕНИЕ МАТЕМАТИЧЕСКИХ МЕТОДОВ ДЛЯ ВЫЯВЛЕНИЯ ЗАКОНОМЕРНОСТЕЙ ВРЕМЕННОГО ИЗМЕНЕНИЯ ПОКАЗАТЕЛЕЙ БИОСИСТЕМЫ

Милешин А.А., Гергет О.М. (г. Томск, Томский политехнический университет)

APPLICATION OF MATHEMATICAL METHODS FOR BIOSYSTEM INDEXES TIME CHANGE TENDENCIES DETERMINATION

A.A. Mileshin, O.M. Gerget

(s. Tomsk, Tomsk Polytechnik University)

The article includes results of scientific results achieved at department of Applied Mathematics at Tomsk Polytechnic University. Investigators were working in team of scientific school "Developing principles of software providing energy-information organism functional characteristics representation within the context of preventive and curative medicine" and is devoted to developing of information medical system and application of mathematical methods for determination time change tendencies of blood biochemistry indexes, based on statistival analysis. The article brings information system structure which includes services: recovery of omissions in data; determination seasonal rhythms' existence; determination of trends in time series; seasonal decomposition. Main mathematical methods that are realized in program are stated. The article reveals results of research. Standart of blood biochemistry indexes' behavior in time is formed. Estimation of patient organism health state and efficiency of provided treatment is done.

Introduction. Currently, biology and medicine is rapidly moving away from the verbal description and are based on mathematical models and information technology. Considerable difficulties of quantitative characteristics in the dynamics of their predetermined characteristics and properties, structural and functional complexity, variability parameters for the description of the biosystem, nonlinearity characteristics, incomplete and unclear description of the objects of study. Successful solution of health problems is impossible without the creation of appropriate information systems. One of the most difficult and time-consuming process of designing information systems is the identification of patterns of existing data sets. It does not always end well, because databases contain diverse and sonically contradictory and incomplete information.

Most of the currently available information technology oriented tend to solve specific practical problems and are compartmentalized, complex, expensive, making them unsuitable for mass use in medical institutions. In this regard, the authors developed a system that allows you to identify patterns of temporary changes biosystem indicators based on statistical analysis and includes such important projects as the restoration of missing data, detecting the presence of seasonal rhythms, the allocation trends in time series, seasonal decomposition.

The purpose of research is to identify patterns of temporal change biosystem indicators based on statistical analysis.

Structure information of the medical system. To implement this goal in medical information system developed services using parallelized algorithms.

Service to identify trend-cycle component. To assess the availability of seasonal rhythms in the time series was used autocorrelation function and its graphical representation - correlogram. From the correlogram analysis can reveal the structure of the series. If the highest correlation

coefficient appeared first order, then researched series contains only a tendency, if the autocorrelation coefficient of order h, then the series contains the cyclical fluctuations with periodicity h time points.

The sequence of autocorrelation coefficients with offsets 1, 2, 3, etc. called autocorrelation function, whose values are in the range [-1, 1].

Autocorrelation function should be used to highlight in the time series of the trend and seasonal components.

Service allocation trends in time series. Checking for non-random component is reduced to testing the hypothesis of the immutability of the average value of the time series with the runs test. When using it, you want the median *med y* of time series , and the formation of " series " of the pros and cons of the following rule:

$$y_t = \begin{cases} +, & y_t > y_{med,} \\ -, & y_t < y_{med} \end{cases}$$

Elements of time series, equal *med y*, thus obtained does not take account. By "series" is a sequence of consecutive consecutive pluses or minuses. The presence of non-random component in the time series is determined from the condition:

$$\begin{cases} v(n) > \left[\frac{1}{2}(n+2-1,96\sqrt{n-1})\right], \\ K_{\max} < [3,3(\lg n+1)] \end{cases}$$

where v(n) - the total number of series , K_max - length of the longest of the series, [] - the integer part of the number.

To build a trend used method of moving averages and exponential smoothing method.

The method of moving averages is the following: first, determine the number of

observations included in the smoothing interval. Then, the average value in the observation interval of smoothing by the formula:

$$\overline{y}_t = \frac{1}{m} \sum_{i=t-\frac{m-1}{2}}^{t+\frac{m-1}{2}} y_i$$
,

where m - number of observations included in the smoothing interval.

Likewise is the smoothed value for other values, as long as the smoothing intervals will not last value of the time series.

An alternative approach to eliminate oscillations in a number of values is to use exponential smoothing method. Each smoothed value is calculated by combining the previous smoothed value and the current value of the time series. In this case, the current value of the time series taking into account the weighted smoothing constant, usually denoted α . Calculation itself is done by the following formula:

 $S_t = \alpha y_t - (1 - \alpha) S_{t-1}$

where St - current smoothed value;

yt - the current value of the time series;

St-1 - the previous smoothed value;

 α – smoothing constant.

The literature recommends a smoothing constant taking range from 0 to 1, and in each case to select the most suitable value.

Service evaluation of seasonal decomposition. To determine the seasonal component was developed algorithm seasonal decomposition data.

Allocated on the basis of the trend of moving averages. Formed seasonal component – the difference or ratio between the original and the smoothed series. Calculated seasonal component - the average of all values of a number corresponding to a given point in the seasonal range.

The developed information system allows for processing of diagnostic data in parallel and implement a comprehensive approach to the diagnosis and prediction of the state of health of the human body, by combining into a single unit process analysis and control of information and the organization of operational data exchange in a single information space. Parallel data processing mode provides high utilization of computing resources by distributing a complex task into multiple computing nodes . Services include system design and allow authors to successfully diagnose diseases.

Findings. Checking for the seasonal component using correlogram showed that in some of the time-series data present seasonal component.

Seasonal Decomposition data series showed that they present a seasonal component. Analysis of seasonal indices showed that the changes of different indicators have laws that create a whole picture of the mutual changes of these parameters.

Trends isolated by two methods. It was concluded that the method of moving averages is more suitable for smoothing the time series, as it is more sensitive to changes in time series by the fact that when it is not recorded using the previous values of the smoothed row.

Работа выполнена в рамках проекта №1957 Госзадания "Наука" Министерства образования и науки Российской Федерации.

Conclusion. Time series analysis conducted in this paper allows us to represent the behavior of blood chemistry parameters in healthy people. Seasonal decomposition was carried out data series that gives an indication of changes in the patterns of these indicators in a certain period. Also were built correlogram. All this allows us to represent some standard behavior of these indicators over time to assess the state of the sick people and to evaluate the effectiveness of the treatment.

МОДЕЛИРОВАНИЕ ЭЛЕКТРИЧЕСКОЙ АКТИВНОСТИ СЕРДЦА С ПОМОЩЬЮ ЭЛЕКТРОКАРДИОГРАФА НА НАНОЭЛЕКТРОДАХ

М. Г. Григорьев, Н. В. Турушев

(г. Томск, Национальный исследовательский Томский политехнический университет)

COMPUTER SIMULATION CARDIAC ELECTRICAL ACTIVITY USING AN ELECTROCARDIOGRAPH ON NANOSENSORS

M. G. Grigor'yev, N. V. Turushev (s. Tomsk, National Research Tomsk Polytechnic University)

Abstract. The problems related to cardiovascular diseases are considered. The method to solve some of the problems has been proposed. We also consider a two-component Aliev-Panfilov model and the algorithm of the hardware- software complexes. The obtained results are presented.